

Heavy Duty Platform Scale Stainless Steel - MT IND226x Atex Zones 1, 21, 2 and 22
Capacity 3000kg x 0.5kg graduation with a high Accuracy Scale 0.1% of the applied load. The EuroScales heavy duty platform scales are designed with rugged continuous use in mind for commercial and industrial applications.

The MT IND226x is designed for simple weighing applications in hazardous areas, it has three available power sources: an external battery, 230v Power supply unit and 120v Power supply unit.



Performance

| | |
|------------|--|
| Resolution | Max 30,000 divisions, weighing ranges : single range |
| Keypad | Hardcoated polyester overlay, 6 keys, tactile-feel |

Housing

Full stainless steel enclosure 220mm (w) x 148mm (d) x 132mm (h)

Protection

| |
|------------------------------------|
| IP66 dust and water ingress rating |
|------------------------------------|

| |
|------------------|
| Hazardous Rating |
|------------------|

| |
|--|
| ATEX: II 2 G EEx ib IIC T4 (Gas), II 2 D Ex tD A21 IP66 T60°C (Dust) |
|--|

| |
|---------|
| Digital |
|---------|

| |
|---------|
| Display |
|---------|

| |
|-------------------------------------|
| 7-segmented LED, 6 Digit, 30mm high |
|-------------------------------------|

| |
|-------------|
| Power Input |
|-------------|

| |
|------------------|
| External Battery |
|------------------|

| |
|--|
| Stainless steel housing, NIMH cells 8Ah, includes 3m cable |
|--|

| |
|------------------|
| 230 Mains Supply |
|------------------|

| |
|---------------------------|
| 230 VAC Power supply unit |
|---------------------------|

| |
|------------------|
| 120 Mains supply |
|------------------|

| |
|---------------------------|
| 120 VAC Power supply unit |
|---------------------------|

| |
|----------|
| Platform |
|----------|

| |
|-----------|
| Loadcells |
|-----------|

| |
|--|
| IP67 sealed stainless steel load cells - Flintec |
|--|

| |
|-----------------|
| Standard finish |
|-----------------|

| |
|---|
| Brushed 160 grit stainless steel finish |
|---|

| |
|--------------|
| Construction |
|--------------|

| |
|--|
| Heavy duty folded stainless steel construction with flat contact surface |
|--|

| |
|------|
| Size |
|------|

| |
|--|
| Standard Squares 800mm sq, 1000mm sq, 1250mm sq and 1500mm sq. All h |
|--|

| |
|--------|
| Cables |
|--------|

| |
|---|
| Standard cables 2.5M length with Amphenol plugs |
|---|

| |
|----------|
| Warranty |
|----------|

| |
|------------------------|
| 12 Months on loadcells |
|------------------------|

| |
|------|
| Feet |
|------|

| |
|---|
| Weights and Measures certified loadcell mounts, Stainless steel |
|---|